

# RESIDENTIAL

## Round Downpipe

### Straight

#### DESCRIPTION

Specialized range providing complete drainage solutions for transporting rainwater. The round aesthetic appearance of the Residential straight downpipe brings additional value to buildings. By their material and design, Residential (Type R) are totally recyclable without loss of property.

#### RECOMMENDED USE


- Rainwater
- Gravitary

#### STANDARDS & APPROVALS

- Industry Product Standards:
  - EN 12056-3
- Range fire classification: A1

#### Coatings:

- 1 External coating:** light beige colour (RAL 7032), water-based coating of 40 µm.
- 2 Anti-corrosive layer:** flame-applied zinc metal coating of 130g/m<sup>2</sup> in average.
- 3** Cast-iron made with the De Lavaud process.
- 4 Internal coating:** water-based coating of 40 µm.




#### TECHNICAL FEATURES

- Salt spray resistance: 1500 h.
- Frost resistance: tested 21 days at -18°C.

#### ENVIRONMENTAL DATA

- Percentage of Recycled Content: 99 %
- Recycling Information: Cast iron is 100% recyclable through the existing recycling industrial network. Data source: Declaration of recycled content.



RESIDENTIAL

Round Downpipe

Straight



DN	L	H	W	Weight	Product Code
75	1045	107	107	6.9	155536
75	2045	107	107	12.9	155539
100	1045	134	134	9.2	155595
100	2045	134	134	17.2	155599
125	1045	162	162	12.9	155662
125	2045	162	162	24.2	155666

All dimensions are in mm and nominal weights are in kg

This document is provided for information purposes only and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility in the event of the use or installation of materials that do not comply with the rules prescribed in this document as well as with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Saint-Gobain PAM and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.

Saint-Gobain PAM Bâtiment