

RESIDENTIAL

Round offset with socket

E = 150

DESCRIPTION


The RESIDENTIAL TYPE R offset round with socket (E = 150) allows a change in position of the pipe run for those times you cannot plan a direct route rainwater. Designed for aesthetic appearance, the cast iron fittings are coated with an epoxy layer and a water-based coating and are fully and indefinitely recyclable.

RECOMMENDED USE

- Rainwater
- Gravitary

STANDARDS & APPROVALS

- Industry Product Standards:
 - EN 12056-3
- Range fire classification: A1



Material & Coatings

- Cast Iron
- Coating: beige light color RAL 7032 of anti-corrosive cathaphoresis epoxy 70µm and acrylic 60 µm.

TECHNICAL FEATURES

- Salt spray resistance: 1500 h.
- Frost resistance: tested 21 days at -18°C.


ENVIRONMENTAL DATA

- Percentage of Recycled Content: 99 %
- Recycling Information: Cast iron is 100% recyclable through the existing recycling industrial network.
Data source: Declaration of recycled content.

RESIDENTIAL

Round offset with socket

E = 150



DN	L	H	W	Weight	Product Code
100	277	317	144	4.1	155626
125	303.5	348	173	5.7	155688

All dimensions are in mm and nominal weights are in kg

This document is provided for information purposes only and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility in the event of the use or installation of materials that do not comply with the rules prescribed in this document as well as with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Saint-Gobain PAM and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.

Saint-Gobain PAM Bâtiment